DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 DEC 1998 / FOR PERIOD 1 DEC 1998 TO 14 DEC 1998 / VOL. 23/ NO. 98

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page: http://www.dodssp.daps.mil/dodiss.htm

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
M	MIL-C-782B(1) NOT 3	CORES, STEEL; FOR USE IN BALL TYPES OF SMALL ARMS AMMUNITION [CUST: AR]	A	1305		AR	17-NOV-98
N	MIL-DTL-32024	CARTRIDGE, IMPULSE, CU-33/A [CUST: OS]	A	1377		OS	14-MAY-98
N	MIL-DTL-32027	GENERATOR, GAS, DRY BAY FIRE EXTINGUISHER, GGU-15A/A [CUST: OS]	A	1377		OS	22-OCT-98
M	MIL-PRF-27260C	TIE DOWN, CARGO, AIRCRAFT, CGU-1/B [CUST: GL 99]	A	1670		82	27-NOV-98
M	MIL-DTL-46796C	ENGINE, DIESEL: 8-CYLINDER, V-TYPE 390 H.P. [CUST: AT] [REVIEW: CC]	A	2815		AT	30-SEP-98
M	QPL-20627-29	FILTER ASSEMBLY AND FILTER ELEMENTS, FLUID, PRESSURE (FOR ENGINES WITH LIQUID FUEL INJECTION SYSTEMS)	A	2910		SH	28-SEP-98
N	A-A-55538	WATERPROOF SPARK PLUG LEAD AND CONDUIT ASSEMBLY (OTHER THAN AIRCRAFT) [CUST: AT YD 82 CC] [REVIEW: CR GL MC]	A	2920	/	CC	27-NOV-98
N	A-A-59330	GRINDING MACHINE, SURFACE, RECIPROCATING-TABLE, HORIZONTAL-SPINDLE, POWER-FEED [CUST: AL SH 99] [REVIEW: 84 AR MC SM]	A	3415	/	GS	10-OCT-98
N	A-A-59332	GRINDING MACHINE, CYLINDRICAL, EXTERNAL, CENTER-TYPE, COMPUTER NUMERICAL CONTROL (CNC) [CUST: SH 99] [REVIEW: 84 AS OS]	A	3415	/	GS	10-OCT-98
N	A-A-59328	MILLING MACHINE, HORIZONTAL SPINDLE, KNEE [CUST: SH 99] [REVIEW: 84 MC]	A	3417	/	GS	13-OCT-98
M	QPL-24403-29	ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR	A	3439		SH	31-JUL-98
M	QPL-8783-10	CLAMP, HOSE, FLAT BAND 500 DEG. F	A	4720		CC	30-NOV-98
M	QPL-52525-7	FITTINGS WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES	A	4730		CC	24-NOV-98
M	QPL-83296-8	FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC	A	4730		CC	24-NOV-98
M	QPL-83798-3	FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR	A	4730		CC	24-NOV-98
N	SAE-J1231-97	TUBE ENDS, FORMED, FOR HOSE CONNECTIONS AND HOSE FITTINGS [CUST: AT AS 99] [REVIEW: AV MC MI OS]	A	4730		CC	MAR-97
M	MIL-PRF-25961G(1)	VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A [CUST: AS 99] [REVIEW: CC MC]	A	4820		71	17-OCT-98
N	A-A-55540	REGULATOR, OXYGEN, ACETYLENE, WELDING APPLICATION [CUST: AL 99] [REVIEW: 82]	A	4820	/	CC	11-DEC-98
M	QPL-22052-23	VALVES, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER)	A	4820		SH	31-AUG-98
N	NASM3212	SCREWS, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL SILICONE O-RING, PLAIN AND SELF-LOCKING [CUST: AR OS 99 IS]	A	5305		IS	AUG-98
N	NASM3213	SCREWS, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF-LOCKING [CUST: AR OS 99 IS]	A	5305		IS	AUG-98
N	NASM18067	SETSCREW, HEXAGON SOCKET, CONE POINT, 250 DEG. F, SELF LOCKING ELEMENT, ALLOY STEEL, CADIUM PLATED [CUST: AR AS 99 IS]	A	5305		IS	AUG-98
N	NASM21262	SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI FTU (SOCKET HEAD CAP SCREWS) [CUST: AS 99 IS]	A	5305		IS	AUG-98
N	NASM21318	SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADIUM PLATED [CUST: AR 99 IS]	A	5305		IS	MAY-98
N	NASM21472	SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD, GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS]	A	5305		IS	AUG-98
N	NASM24673	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION-RESISTING STEEL (UNF-3A) [CUST: AR OS 99 IS]	A	5305		IS	AUG-98
N	NASM24677	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNC-3A) [CUST: AR OS 99 IS]	A	5305		IS	AUG-98
N	NASM24678	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL (UNF-3A) [CUST: AR AS 99 IS]	A	5305		IS	AUG-98
N	NASM51031	SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING [CUST: AR 99 IS]	A	5305		IS	AUG-98
N	NASM51977	SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADIUM PLATED, UNC-3A[CUST: AR AS 99 IS]	A	5305		IS	AUG-98
N	NASM51981	SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADIUM PLATED, UNC-3A [CUST: AR AS 99 IS]	A	5305		IS	AUG-98
N	NASM51982	SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADIUM PLATED, UNF-3A [CUST: AR AS 99 IS]	A	5305		IS	AUG-98
N	NASM16562	PIN, SPRING - TUBULAR, SLOTTED [CUST: AR OS 99 IS]	A	5315		IS	OCT-98
N	NASM17984	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE [CUST: AV AS 99 IS]	A	5315		IS	OCT-98
N	NASM17985	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "T" HANDLE [CUST: AV AS 99 IS]	A	5315		IS	OCT-98
N	NASM17986	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "L" HANDLE [CUST: AV AS 99 IS]	A	5315		IS	OCT-98
N	NASM17990	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE [CUST: AV AS 99 IS]	A	5315		IS	OCT-98
N	NASM20068	KEY, MACHINE - SQUARE IN CROSS SECTION, BOTH ENDS ROUND [CUST: AR OS 99 IS]	A	5315		IS	OCT-98
N	NASM24665	PIN, COTTER (SPLIT) [CUST: AR OS 99 IS]	A	5315		IS	OCT-98
N	NASM24692	PIN, TAPERED, PLAIN [CUST: AR OS 99 IS]	A	5315		IS	OCT-98
M	MIL-F-8975B(4) SUP 1	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL AND TITANIUM, GENERAL SPECIFICATION FOR [CUST: AV 99 IS] [REVIEW: 82 AR MI OS SH]	A	5320		IS	07-DEC-98
M	MIL-F-81177E(2)	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, GENERAL SPECIFICATION FOR [CUST: AV 11 IS] [REVIEW: 99 AR AS MI]	A	5320		IS	07-DEC-98
M	MIL-DTL-27426C	RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) [CUST: AR OS 99] [REVIEW: 11 82 AV MI]	A	5325		IS	22-SEP-98
M	MIL-DTL-27426/2A	RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) HEAVY DUTY EXTERNAL [CUST: AR OS 99] [REVIEW: 11 82 AV MI]	A	5325		IS	22-SEP-98
N	MIL-DTL-27426/4	RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) HEAVY DUTY INTERNAL [CUST: AR OS 99] [REVIEW: 11 82 AV MI]	A	5325		IS	22-SEP-98
N	MIL-PRF-32034	VALVE PACKING MATERIAL, NON-ASBESTOS [CUST: SH]	A	5330		SH	28-OCT-98
M	MIL-DTL-27426/3A	RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) MEDIUM DUTY INTERNAL [CUST: AR OS 99] [REVIEW: 11 82 AV MI]	A	5365		IS	22-SEP-98
M	MIL-PRF-29B	RESISTORS, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE) [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	30-NOV-98
M	MIL-PRF-39017F(1) SUP 1	RESISTORS, FIXED, FILM (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CR	18-NOV-98
M	MIL-PRF-39014/22D(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR22, CKR23, AND CKR24 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AT AV CR4 MC MI]	A	5910		CR	18-NOV-98
M	MIL-PRF-49470/3(1)	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), CONFORMALLY COATED, HORIZONTALLY STACKED, STYLE PS03 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	18-NOV-98
M	MIL-PRF-49470/6(1)	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), CONFORMALLY COATED, VERTICALLY STACKED, STYLE PS06 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	18-NOV-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
M	QPL-3965-68	CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR	A 5910	CC	30-NOV-98
M	QPL-17361-38	CIRCUIT-BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE)	A 5925	SH	25-SEP-98
M	QPL-17587-33	CIRCUIT BREAKERS, LOW VOLTAGE, ELECTRIC POWER, AIR OPEN FRAME, REMOVABLE CONSTRUCTION	A 5925	SH	30-SEP-98
M	MIL-PRF-31031/1A	CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR FLEXIBLE CABLE, SOCKET CONTACT, HIGH RELIABILITY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV EA MC MI OS SH]	A 5935	CC	03-NOV-98
M	MIL-PRF-31031/11A	CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR SEMIRIGID CABLE, SOCKET CONTACT, HIGH RELIABILITY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV EA MC MI OS SH]	A 5935	CC	03-NOV-98
M	MIL-PRF-39016/21F(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE 60 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85] [REVIEW: 99 AR AS MC OS SH]	A 5945	CC	25-NOV-98
M	MIL-PRF-39016/23E(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85] [REVIEW: 99 AR AS MC OS SH]	A 5945	CC	25-NOV-98
M	MIL-PRF-39016/24E(6)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85] [REVIEW: 99 AR AS MC OS]	A 5945	CC	25-NOV-98
M	MIL-PRF-39016/25E(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH AN INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85] [REVIEW: 99 AR AS MC OS SH]	A 5945	CC	25-NOV-98
M	MIL-PRF-39016/26E(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV CR4 MC OS SH]	A 5945	CC	25-NOV-98
M	MIL-PRF-39016/27E(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC OS SH]	A 5945	CC	25-NOV-98
M	MIL-PRF-1/1612A	ELECTRON TUBE, GAS TYPE 7620 [CUST: EC CC] [REVIEW: CG MC]	A 5960	CC	04-SEP-98
M	MIL-PRF-1/1614B	ELECTRON TUBE, POWER TYPE 857B [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC OS SH]	A 5960	CC	09-JUL-98
M	MIL-PRF-1/1618C	ELECTRON TUBE, MAGNETRON TYPE 7256 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG OS SH]	A 5960	CC	04-SEP-98
M	MIL-PRF-1/1619C	ELECTRON TUBE, POWER TYPES 8161 AND 8251 [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS CG MC SH]	A 5960	CC	04-SEP-98
M	MIL-PRF-1/1622B	ELECTRON TUBE, KLYSTRON TYPE 7829A [CUST: 85 CC] [REVIEW: 99]	A 5960	CC	20-NOV-98
M	MIL-PRF-1/1623C	ELECTRON TUBE, TRAVELING WAVE TYPE 8175 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG MC MI OS SH]	A 5960	CC	09-JUL-98
M	MIL-PRF-1/1624B	ELECTRON TUBE, MAGNETRON TYPE 8682 [CUST: EC] [REVIEW: AS CG MC OS SH]	A 5960	CC	25-SEP-98
M	MIL-PRF-1/1631B	ELECTRON TUBE, KLYSTRON TYPE VA 220B [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG MC OS]	A 5960	CC	09-JUL-98
M	MIL-PRF-1/1633A	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7211 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG CR4 MC OS]	A 5960	CC	10-JUL-98
M	MIL-PRF-1/1635B	ELECTRON TUBE, CATHODE RAY TYPE 10ALP19 [CUST: CR CC] [REVIEW: AV CR4]	A 5960	CC	09-JUL-98
M	MIL-PRF-1/1636B	ELECTRON TUBE, THYRATRON TYPE 7782 [CUST: EC CC] [REVIEW: CG MC]	A 5960	CC	09-JUL-98
M	MIL-PRF-1/1640C	ELECTRON TUBE, MAGNETRON TYPE 8855 [CUST: CR EC 85] [REVIEW: 11 AS CG MC OS]	A 5960	CC	25-SEP-98
M	MIL-PRF-1/1648C	ELECTRON TUBE, POWER TYPE 8660 [CUST: EC CC] [REVIEW: AS CG MC OS]	A 5960	CC	04-SEP-98
M	MIL-PRF-1/1654B	ELECTRON TUBE, TRAVELING-WAVE TYPE 8364 [CUST: EC CC] [REVIEW: AS CG MC OS]	A 5960	CC	09-JUL-98
M	MIL-PRF-1/1657C	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8727 [CUST: EC CC] [REVIEW: AS CG MC OS]	A 5960	CC	10-JUL-98
M	MIL-PRF-1/1660B	ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 8403 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG CR4 SH]	A 5960	CC	25-SEP-98
M	MIL-PRF-1/1661B	ELECTRON TUBE, THYRATRON TYPE 8765 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG CR4 MI OS]	A 5960	CC	10-JUL-98
M	MIL-PRF-1/1664B	ELECTRON TUBE, MAGNETRON TYPE 8827 [CUST: EC CC] [REVIEW: AS CG MC OS]	A 5960	CC	10-JUL-98
M	MIL-PRF-1/1669A	ELECTRON TUBE, KLYSTRON TYPE 8766 [CUST: CR CC]	A 5960	CC	09-SEP-98
M	MIL-PRF-1/1670C	ELECTRON TUBE, POWER TYPE 8590 [CUST: 85 CC] [REVIEW: 11 99]	A 5960	CC	20-NOV-98
M	MIL-PRF-1/1705B	ELECTRON TUBE, MAGNETRON TYPE 8896 [CUST: 85 CC] [REVIEW: 11 99]	A 5960	CC	20-NOV-98
M	MIL-PRF-1/1716A	ELECTRON TUBE, POWER TYPE 8171 [CUST: CR 80] [REVIEW: 11 17 19 99 AR]	A 5960	CC	25-SEP-98
M	MIL-PRF-1/1717B	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8906 [CUST: CR EC 85] [REVIEW: 11 17 80 AS CG MC OS]	A 5960	CC	25-SEP-98
M	MIL-PRF-1/1718A	ELECTRON TUBE, GAS SWITCHING TYPE 8922 [CUST: CR EC 85] [REVIEW: 99 AR AS CG MC MI OS]	A 5960	CC	25-SEP-98
M	MIL-PRF-19500L	SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM]	A 5961	CC	22-OCT-98
M	MIL-L-12632D(1) NOT 1	LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 13 99 CG CR4 MC OS]	A 5965	CC	28-OCT-98
M	MIL-L-12632/1A(1) NOT 1	LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT) TYPE LS-590/U [CUST: CR EC 85 CC] [REVIEW: 13 99 CG CR4 MC OS]	A 5965	CC	28-OCT-98
M	MIL-L-12632/2A(1) NOT 1	LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), TYPE LS-166/U [CUST: CR EC 85 CC] [REVIEW: 13 99 CG CR4 MC OS]	A 5965	CC	28-OCT-98
M	MIL-L-12632/4A(1) NOT 1	LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), TYPE LS-454/U [CUST: CR EC 85 CC] [REVIEW: 13 99 CG CR4 MC OS]	A 5965	CC	28-OCT-98
M	UL884-87	UNDERFLOOR RACEWAYS & FITTINGS [CUST: CR YD2 85] [REVIEW: 99 CR4 GS]	A 5975	YD2	30-NOV-98
M	*MIL-DTL-85H*	*WAVEGUIDES, RIGID, RECTANGULAR GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CG CR4 MC MI OS]*	A 5985	CC	20-NOV-98
M	MIL-DTL-85/1F	WAVEGUIDE, RIGID, RECTANGULAR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG CR4 MC MI OS]	A 5985	CC	20-NOV-98
M	MIL-DTL-85/2D	WAVEGUIDE, RIGID, RECTANGULAR (HEAVY WALL) [CUST: CR EC 85] [REVIEW: 99 AR AS MC OS]	A 5985	CC	20-NOV-98
M	MIL-DTL-287F	WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE AND NONTWISTABLE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS]	A 5985	CC	04-DEC-98
M	MIL-DTL-287/3E	WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE, CLASS 1 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV CG MC MI OS]	A 5985	CC	04-DEC-98
M	MIL-DTL-287/4F	WAVEGUIDE ASSEMBLIES, FLEXIBLE, NON-TWISTABLE, CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS]	A 5985	CC	04-DEC-98
M	MIL-DTL-287/5F	WAVEGUIDE ASSEMBLIES, EXTRA-FLEXIBLE, TWISTABLE, CLASS 3 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS]	A 5985	CC	04-DEC-98
M	MIL-DTL-3970D	WAVEGUIDE ASSEMBLIES, RIGID, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI OS SH]	A 5985	CC	25-NOV-98
M	MIL-DTL-3970/7C	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE BEND [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS MC MI OS]	A 5985	CC	25-NOV-98
M	MIL-DTL-3970/13C	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEG. H-PLANE BEND [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC MI OS]	A 5985	CC	25-NOV-98
M	MIL-DTL-24211A	GASKET, WAVEGUIDE FLANGE GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC MI]	A 5985	CC	25-NOV-98
M	MIL-DTL-24211/1B	GASKET, WAVEGUIDE FLANGE (COVER) [CUST: CR EC 85] [REVIEW: 11 17 19 AR CG MI OS SH]	A 5985	CC	25-NOV-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-DTL-24211/2C	GASKET, WAVEGUIDE FLANGE (FLAT FACE) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG MC OS SH]	A 5985		CC	25-NOV-98
M	QPL-50884-41	PRINTED-WIRING, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR	A 5998		CC	25-NOV-98
N	MIL-PRF-83531/4	DELAY LINES, 10-TAP, DUAL-IN-LINE, 14-PIN, SURFACE MOUNT DEVICE [CUST: CR EC 85] [REVIEW: 19 99 AS CG MC SH]	A 5999		CC	15-DEC-98
M	A-A-52317A	DUAL TRANSMISSION MEDIA DATA COMMUNICATION SYSTEM (DTMDCS) [CUST: CR4 SH 99] [REVIEW: CC GS]	A 6350	/	CR4	30-OCT-98
M	QPL-15303-45	AUDIBLE SIGNALS: ALARMS, BELLS, BUZZERS, HORNS, SIRENS, AND ELECTRONIC SHIPBOARD	A 6350		SH	16-OCT-98
M	QPL-46374-54	WATCH, WRIST: GENERAL PURPOSE	A 6645		AR	30-NOV-98
M	ASTM-D471-97	RUBBER PROPERTY-EFFECT OF LIQUIDS [CUST: AT SH 11] [REVIEW: 68 AV EA GS MI OS PS]	A 6810		AT	10-MAY-97
M	QPL-87937-5(1)	CLEANING COMPOUNDS, AEROSPACE EQUIPMENT	A 6850		68	24-APR-98
N	ASTM-D6107-97	ENGINE COOLANTS USED IN LIGHT DUTY SERVICE, STOP-LEAK ADDITIVE FOR [CUST: AT 68] [REVIEW: AL EA GS SM]	A 6850		AT	10-APR-97
M	QPL-24648-9	PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC)	A 8010		SH	09-OCT-98
N	A-A-59311	PACKAGING MATERIAL, KRAFT PAPER, 3-PLY, FLEXIBLE [CUST: AS] [REVIEW: SA]	A 8135	/	AS	17-NOV-98
M	MIL-T-44404(1) NOT 2	TENT, COMMAND POST, STANDARDIZED INTEGRATED COMMAND POST SYSTEM [CUST: GL CT]	A 8340		CT	03-NOV-98
M	MIL-DTL-5624T	TURBINE FUEL, AVIATION, GRADES JP-4, JP-5, AND JP-5/JP-8 ST [CUST: AT AS 11 PS] [REVIEW: 68 AR AV SH]	A 9130		11	18-SEP-98
M	QPL-2104-39	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE	A 9150		AT	16-NOV-98
M	MIL-STD-188/181A(1)	INTEROPERABILITY STANDARD FOR SINGLE-ACCESS 5-KHZ AND 25-KHZ UHF SATELLITE COMMUNICATIONS CHANNELS [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 21 29 33 93 AC CG DH IR MC MP NC NS OM PT SE TD]	A TCSS		DC1	09-SEP-98

Last Action	Document Number	Document Title	Distribution	FSC/Area	MCA	Prep. Activ.	Date
M	ZZ-T-410F NOT 1	TIRE, PNEUMATIC, INDUSTRIAL [CUST: AT YD2 99] [REVIEW: 84 CC]	A	2610	/	AT	25-SEP-98
M	ZZ-T-1619C(1) NOT 1	TIRES, PNEUMATIC, AGRICULTURAL [CUST: AT]	A	2610	/	AT	25-SEP-98
M	ZZ-T-441H NOT 1	TIRE, PNEUMATIC, RETREADED AND REPAIRED [CUST: AT YD2 99] [REVIEW: CC MC]	A	2640	/	AT	25-SEP-98
M	T-R-605B(3) NOT 1	ROPE, MANILA AND SISAL [CUST: GL SH 99 IS] [REVIEW: AR CC CE CR4 EA MC YD2]	A	4020	/	IS	03-DEC-98
M	T-T-616B NOT 1	TREATMENT MILDEW RESISTANT FOR ROPE AND CORD [CUST: GL AS 99 IS] [REVIEW: 82 MC MD MI]	A	4020	/	IS	03-DEC-98
M	T-R-650(1) NOT 1	ROPE, YARN AND TWINE, BAST FIBER [CUST: GL SH 99 IS] [REVIEW: AR CG CR4 MC MD YD2]	A	4020	/	IS	03-DEC-98
M	T-C-2754 NOT 1	CORD, POLYESTER, CORELESS [CUST: GL AS 99 IS] [REVIEW: 82 CR4 SH]	A	4020	/	IS	03-DEC-98
M	MIL-T-5066B(1) NOT 3	TUBING, CARBON STEEL (1025), SEAMLESS AND WELDED (AIRCRAFT QUALITY) [CUST: MR AS 11] [REVIEW: 99]	A	4710		11	25-NOV-98
M	MIL-T-6735A NOT 3	TUBING, CHROME-MOLYBDENUM, 4135 STEEL, SEAMLESS AIRCRAFT QUALITY (FOR NEW DESIGN USE SAE-AMS6365) [CUST: MR AS 11] [REVIEW: CC MI]	A	4710		11	25-NOV-98
M	MIL-T-6845D NOT 3	TUBING, STEEL, CORROSION-RESISTANT (S30400), AEROSPACE VEHICLE HYDRAULIC SYSTEM 1/8 HARD CONDITION (USE SAE-AMS5564 AND SAE-AMS5566) [CUST: MR AS 11] [REVIEW: 99]	A	4710		11	25-NOV-98
M	MIL-T-7081D(5) NOT 2	TUBE, ALUMINUM ALLOY, SEAMLESS, ROUND, DRAWN 6061, AIRCRAFT HYDRAULIC QUAL ITY [CUST: AV AS 11] [REVIEW: 82 84 OS SH]	A	4710		11	25-NOV-98
M	MIL-T-8504B NOT 2	TUBING, STEEL, CORROSION-RESISTANT (304), AEROSPACE VEHICLE HYDRAULIC SYSTEMS, ANNEALED, SEAMLESS AND WELDED [CUST: MR AS 11] [REVIEW: 99]	A	4710		11	25-NOV-98
M	MIL-T-8973 NOT 3	TUBING, STEEL, CORROSION AND HEAT RESISTANT, FOR AEROSPACE VEHICLE HYDRAULIC SYSTEMS ASSEMBLED BY BRAZING (INACTIVE USE SAE-AMS5569, SAE-AMS5584, SAE-AMS5897) [CUST: MR AS 11]	A	4710		11	25-NOV-98
M	MIL-C-7942B(1) NOT 2	CONNECTORS, HOSE, QUICK-DISCONNECT, ANTI "G" SUIT [CUST: AS 99] [REVIEW: CC]	A	4730		82	23-NOV-98
M	MIL-M-38510/101G(3) NOT 1	MICROCIRCUITS, LINEAR, OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM]	A	5962		CC	17-NOV-98
M	MIL-M-38510/381(3) NOT 1	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY, TTL, CASCADABLE, DECADE COUNTERS, MONOLITHIC SILICON [CUST: 17] [REVIEW: 19 85 99]	A	5962		CC	24-NOV-98
M	MIL-H-13253D SUP 1 NOT 1	HANDSET [CUST: CR EC 17 CC] [REVIEW: 80 CG MC SH SM]	A	5965		CC	02-NOV-98
M	MIL-W-287/8 NOT 2	WAVEGUIDE ASSEMBLY, MILLIMETER FLEXIBLE, NON-TWISTABLE, CLASS 8 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS]	A	5985		CC	18-SEP-98
M	MIL-F-3922/54C(2) NOT 1	FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH]	A	5985		CC	18-SEP-98
M	MIL-F-3922/55B(1) NOT 1	FLANGE, WAVEGUIDE (COVER) (ROUND, 6 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH]	A	5985		CC	18-SEP-98
M	MIL-F-3922/57B(1) NOT 1	FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH]	A	5985		CC	18-SEP-98
M	MIL-F-3922/58C NOT 1	FLANGE, WAVEGUIDE (CONTACT) (RECTANGULAR, 10 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AV CG MC MI OS SH]	A	5985		CC	18-SEP-98
M	MIL-F-3922/60B(1) NOT 1	FLANGE, WAVEGUIDE (CHOKE) (ROUND, 6 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH]	A	5985		CC	18-SEP-98
M	MIL-F-3922/63B(1) NOT 1	FLANGE, WAVEGUIDE (MINIATURE, UNPRESSURIZED CONTACT) (4 HOLE AND 8 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AV CG MC MI OS SH]	A	5985		CC	18-SEP-98
M	MIL-W-3970/10B NOT 1	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE MITERED CORNER [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG MC MI OS]	A	5985		CC	18-SEP-98
M	MIL-W-3970/16B NOT 1	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE, H-PLANE, MITERED CORNER [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG MC MI OS]	A	5985		CC	18-SEP-98
M	MIL-W-3970/22 NOT 1	WAVEGUIDE ASSEMBLIES, RIGID, CAST, 90-DEGREE E-PLANE BEND, FULL CORRAL [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS CG MC MI OS]	A	5985		CC	18-SEP-98
M	MIL-W-3970/23 NOT 1	WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE E-PLANE BEND, MITER AND RADIUS BACK MITER, FULL CORRAL [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS CG MC MI OS]	A	5985		CC	18-SEP-98
M	MIL-F-24044/2 NOT 1	FLANGE, ROTATABLE, COAXIAL LINE, RIGID [CUST: CR EC 85 CC] [REVIEW: 11 17 AS MC]	A	5985		CC	18-SEP-98
M	MS25231F NOT 1	LAMPS, INCANDESCENT, CENTER CONTACT, MINIATURE BAYONET BASE (T-3-1/4 BULB) [CUST: CR4 AS 99 IS] [REVIEW: 82 AV EC MC SH]	A	6240		IS	30-NOV-98
M	MS25236F NOT 1	LAMP, INCANDESCENT T-1-1/4, KNURLED SCREW BASE [CUST: CR4 AS 99 IS] [REVIEW: AR]	A	6240		IS	30-NOV-98
M	MS25242D NOT 1	LAMP, INCANDESCENT, PAR-64 BULB, SCREW TERMINAL BASE [CUST: CR4 AS 99 IS] [REVIEW: AV CG CR EC]	A	6240		IS	30-NOV-98
M	MIL-I-23671B NOT 1	INDICATOR, MS-17264, AIRSPEED AND MACH NUMBER, INTEGRALLY LIGHTED, PITOT-STATIC, 80 TO 850 KNOTS [CUST: AS]	A	6610		AS	23-NOV-98
M	MIL-A-85505 NOT 1	ALTIMETER, STANDBY, TYPES I AND II [CUST: AS]	A	6610		AS	23-NOV-98
M	MIL-I-85506 NOT 1	INDICATOR, INDICATED AIRSPEED, STANDBY TYPES I, II, AND III [CUST: AS]	A	6610		AS	23-NOV-98
M	MS25448F NOT 1	INDICATOR, COUNTING ACCELEROMETER [CUST: AS]	A	6610		AS	23-NOV-98
M	MS90367 NOT 2	INDICATOR, ELECTRICAL, WHEELS AND FLAPS POSITION [CUST: AS]	A	6610		AS	23-NOV-98
M	MIL-DTL-83196C NOT 1	UNDERWEAR, DOUBLE-KNITTED, ANTI EXPOSURE CWU-22/P [CUST: 99]	A	8475		82	01-DEC-98
M	MIL-S-6098A NOT 2	STEEL, CHROME-NICKEL-MOLYBDENUM (8735) BARS AND REFORGING STOCK (AIRCRAFT) [CUST: MR AS 11] [REVIEW: AR AT AV IS OS]	A	9510		11	26-NOV-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-STD-1461E NOT 1	AMMUNITION MANUFACTURERS AND THIER SYMBOLS (S/S BY MIL-HDBK-1461) [CUST: AR OS]	A 13GP		AR	15-JAN-98
M	MIL-R-43837B NOT 1	RELEASE, CARGO PARACHUTE, AIRDROP, M-1 (FUTURE ACQUISITION USE DRAWING 11-1-1487) [CUST: GL] [REVIEW: AV]	A 1670		GL	19-NOV-98
M	MIL-R-43838B NOT 1	RELEASE, CARGO PARACHUTE, AIRDROP, M-2 (FUTURE ACQUISITION USE DRAWING 11-1-565) [CUST: GL] [REVIEW: AV]	A 1670		GL	19-NOV-98
M	MS51010C NOT 2	LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG (OTHER THAN AIRCRAFT) (S/S BY A-A-55538) [CUST: AT CC]	A 2920		CC	27-NOV-98
M	MS51011A NOT 1	LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG (OTHER THAN AIRCRAFT) (S/S BY A-A-55538) [CUST: AT CC]	A 2920		CC	27-NOV-98
M	MIL-G-80088D(1) NOT 1	GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, POWER FEED (S/S BY A-A-59330) [CUST: SH 99] [REVIEW: 84 MC]	A 3415		GS	10-OCT-98
M	MIL-G-80278 NOT 1	GRINDING MACHINE, CYLINDRICAL, EXTERNAL, CENTER TYPE, COMPUTER NUMERICAL CONTROL (S/S BY A-A-59332) [CUST: SH 99] [REVIEW: 84 AS OS]	A 3415		GS	10-OCT-98
M	MIL-M-80044D NOT 1	MILLING MACHINES, HORIZONTAL SPINDLE, KNEE TYPE, SIZE NUMBERS 2, 3, 4 & 5 (S/S BY A-A-59328) [CUST: SH 99 GS] [REVIEW: 84 MC]	A 3417		GS	13-OCT-98
M	MIL-H-18766 NOT 3	HYDRAULIC EQUIPMENT, ORDNANCE SHIPBOARD (GENERAL SPECIFICATION FOR) (NO S/S DOCUMENT) [CUST: SH 84]	A 4320		CC	20-NOV-98
M	QPL-25676-11 NOT 1	ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT (NO S/S DOCUMENT)	A 4730		CC	23-NOV-98
M	MIL-R-13877D NOT 1	REGULATOR, OXYGEN, ACETYLENE, WELDING APPLICATION (S/S BY A-A-55540) [CUST: AL 99] [REVIEW: 82]	A 4820		CC	11-DEC-98
M	MIL-T-13011H NOT 1	TESTER, CYLINDER COMPRESSION (AUTOMOTIVE MAINTENANCE) (NO S/S DOCUMENT) [CUST: AL 99 CC] [REVIEW: 82]	A 4910		CC	30-SEP-98
M	MIL-S-21472C NOT 1	SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD GENERAL SPECIFICATION FOR (S/S BY NASM21472) [CUST: AR AS 99 IS] [REVIEW: CR4 OS]	A 5305		IS	25-NOV-98
M	MS3212B NOT 2	SCREWS, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL SILICONE O-RING, PLAIN AND SELF-LOCKING (S/S BY NASM3212) [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 EC MC MI]	A 5305		IS	25-NOV-98
M	MS3213A NOT 2	SCREWS, MACHINE, PAN HEAD, CROSS RECESSED, SELF SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF LOCKING (S/S BY NASM3213) [CUST: AR OS 99 IS] [REVIEW: AT AV EC MC MI]	A 5305		IS	25-NOV-98
M	MS18067A NOT 2	SETSCREW, HEXAGON SOCKET, CONE POINT, 250 DEG. F, SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED (S/S BY NASM18067) [CUST: AR AS 99 IS] [REVIEW: 69 CR CR4 GL MI]	A 5305		IS	25-NOV-98
M	MS21262D NOT 2	SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI FTU (SOCKET HEAD CAP SCREWS) (S/S BY NASM21262) [CUST: AS 99 IS] [REVIEW: 82 AR OS]	A 5305		IS	25-NOV-98
M	MS21318A NOT 2	SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADMIUM PLATED (S/S BY NASM21318) [CUST: AR 99 IS] [REVIEW: 69 CR CR4 GL MC MI OS SH YD2]	A 5305		IS	25-NOV-98
M	MS24673D(1) NOT 1	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNF-3A) (S/S BY NASM24673) [CUST: AR OS 99 IS]	A 5305		IS	25-NOV-98
M	MS24678E NOT 1	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNF-3A) (S/S BY NASM24678) [CUST: AR AS 99 IS] [REVIEW: AS AT AV CR CR4 EA MC SH YD2]	A 5305		IS	25-NOV-98
M	MS51031B NOT 1	SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING (S/S BY NASM51031) [CUST: AR 99 IS] [REVIEW: AV MC MI OS]	A 5305		IS	25-NOV-98
M	MS51977C NOT 1	SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A (S/S BY NASM51977) [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 MC MI OS]	A 5305		IS	25-NOV-98
M	MS51981C NOT 1	SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A (S/S BY NASM51981) [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC MI NS OS SH]	A 5305		IS	25-NOV-98
M	MS51982A NOT 1	SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY, CADMIUM PLATED, UNC-3A (S/S BY NASM51982) [CUST: AR AS 99 IS] [REVIEW: AV CR4 MC MI NS OS]	A 5305		IS	25-NOV-98
M	MS16562C NOT 2	PIN, SPRING, TUBULAR, SLOTTED (S/S BY NASM16562) [CUST: AR OS 99 IS] [REVIEW: 82 AV CR4 MC MI NS SH]	A 5315		IS	30-NOV-98
M	MS17984F NOT 1	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE (S/S BY NASM17984) [CUST: AV AS 99 IS] [REVIEW: 82 GL]	A 5315		IS	30-NOV-98
M	MS17985G NOT 1	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "T" HANDLE (S/S BY NASM17985) [CUST: AV AS 99 IS] [REVIEW: 82 GL]	A 5315		IS	30-NOV-98
M	MS17986G NOT 1	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "L" HANDLE (S/S BY NASM17986) [CUST: AV AS 99 IS] [REVIEW: 82 GL]	A 5315		IS	30-NOV-98
M	MS17990E NOT 1	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE (S/S BY NASM17990) [CUST: AV AS 99 IS] [REVIEW: 82 GL]	A 5315		IS	30-NOV-98
M	MS20068A NOT 2	KEY, MACHINE, SQUARE IN CROSS-SECTION, BOTH ENDS ROUND (S/S BY NASM20068) [CUST: AR OS 99 IS] [REVIEW: 82 AV CR4 MC SA]	A 5315		IS	30-NOV-98
M	MS24665F NOT 2	PIN, COTTER (SPLIT) (S/S BY NASM24665) [CUST: AR OS 99 IS] [REVIEW: 11 82 AT AV CR CR4 MI NS YD2]	A 5315		IS	30-NOV-98
M	MS24692D NOT 2	PIN, TAPERED, PLAIN (S/S BY NASM24692) [CUST: AR OS 99 IS] [REVIEW: AS AT AV CR4 MC SH]	A 5315		IS	30-NOV-98
M	MS122196THRUMS122235D NOT 2	INSERT CRES HELICAL COIL COARSE THREAD 2 1/2 DIA. NOMINAL LENGTH (S/S BY NASM122196THRU122235) [CUST: AV AS 99 IS] [REVIEW: AR CR CR4 MC MI OS]	A 5325		IS	23-NOV-98
M	MS9021D NOT 2	PACKING, PREFORMED, (O) RING (S/S BY SAE-AS3578) [CUST: AV AS 11 IS] [REVIEW: 11 82]	A 5330		IS	02-DEC-98
M	MS51561(1) NOT 1	TURNBUCKLE, ROUND BODY, EYE AND EYE (TYPE I, FORM 1, CLASS 4) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51562(1) NOT 1	TURNBUCKLE, ROUND BODY, JAW AND JAW (TYPE I, FORM 1, CLASS 7) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51563(1) NOT 1	TURNBUCKLE, ROUND BODY, JAW AND EYE (TYPE I, FORM 1, CLASS 8) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51564(1) NOT 1	TURNBUCKLE, ROUND BODY, HOOK AND HOOK (TYPE I, FORM 1, CLASS 5) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51565(1) NOT 1	TURNBUCKLE, ROUND BODY, HOOK AND EYE (TYPE I, FORM 1, CLASS 6) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51566(1) NOT 1	TURNBUCKLE, SPREAD BODY, JAW AND JAW (TYPE I, FORM 2, CLASS 7) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51567(1) NOT 1	TURNBUCKLE, SPREAD BODY, EYE AND EYE (TYPE I, FORM 2, CLASS 4) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51568(1) NOT 1	TURNBUCKLE, SPREAD BODY, HOOK AND EYE (TYPE I, FORM 2, CLASS 6) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51569(1) NOT 1	TURNBUCKLE, SPREAD BODY, JAW AND EYE (TYPE I, FORM 2, CLASS 8) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51570(1) NOT 1	TURNBUCKLE, PIPE, BODY, EYE AND EYE (TYPE II, CLASS 4) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51571(1) NOT 1	TURNBUCKLE, FLAT BODY, EYE AND EYE (TYPE I, FORM 3, CLASS 4) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98
M	MS51572(1) NOT 1	TURNBUCKLE, FLAT BODY, JAW AND EYE (TYPE I, FORM 1, CLASS 8) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340		IS	25-NOV-98

List Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
M	MS51573(1) NOT 1	TURNBUCKLE, FLAT BODY, HOOK AND EYE (TYPE I, FORM 1, CLASS 6) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340	IS	25-NOV-98
M	MS51574(1) NOT 1	TURNBUCKLE, FLAT BODY, JAW AND JAW (TYPE I, FORM 2, CLASS 7) (S/S BY ASTM-F1145) [CUST: AR SH 99 IS] [REVIEW: 82 AS CR CR4 MC OS YD2]	A 5340	IS	25-NOV-98
M	QPL-16680-30 NOT 1	DECK COVERING MAGNESIA AGGREGATE MIXTURE (NO S/S DOCUMENT)	A 5610	SH	30-SEP-98
M	A-A-52297 NOT 1	TABLE, PHOTOINTERPRETER AND ANALYST, ILLUMINATED, SPLIT STAGE (NO S/S DOCUMENT) [CUST: CE3]	A 6675 /	CE3	11-NOV-98
M	TT-S-735A NOT 1	STANDARD TEST FLUIDS, HYDROCARBON (S/S BY ASTM-D471) [CUST: AT SH 11] [REVIEW: 68 AV EA GS MI OS PS]	A 6810 /	AT	11-SEP-98
M	MIL-C-51047B NOT 1	COMPOUND, ANTISEEPAGE, FOR COOLING SYSTEM, INTERNAL COMBUSTION ENGINE (METRIC) (S/S BY ASTM-D6107) [CUST: AT 68] [REVIEW: AL EA GS SM]	A 6850	AT	11-SEP-98
M	MIL-P-43552(4) NOT 1	PAPER, RECORDING, FACSIMILE (ELECTROSENSITIVE) (NO S/S DOCUMENT) [CUST: SA 99 GS]	A 7530	GS	30-NOV-98
M	MIL-P-29596 NOT 1	PACKAGING MATERIAL, KRAFT PAPER, 3-PLY, FLEXIBLE, GENERAL SPECIFICATION FOR (S/S BY A-A-59311) [CUST: AS] [REVIEW: SA]	A 8135	AS	17-NOV-98
M	MIL-F-43673 NOT 2	FRAME, RUCKSACK, STEEL (NO S/S DOCUMENT) [CUST: GL MC 99 CT] [REVIEW: 11 45]	A 8465	CT	05-NOV-98
M	MIL-M-0044128A NOT 1	MASK, FACE, COMBAT VEHICLE CREWMEN'S FLAME, DUST, WIND AND FRAGMENTATION PROTECTIVE (NO S/S DOCUMENT) [CUST: GL CT]	A 8470	CT	04-NOV-98