DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 DEC 1998 / FOR PERIOD 15 NOV 1998 TO 30 NOV 1998 / VOL. 22/ NO. 98

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. *DOD* documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page: http://www.dodssp.daps.mil/dodiss.htm

Isl	Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
	M	MIL-C-71150(4)	CARTRIDGE, 60MM PRACTICE, SHORT RANGE, M766 LOADING, ASSEMBLING AND PACKAGING [CUST: AR]	A 1315		AR	09-SEP-98
	M	MIL-K-71151(4)	KIT, REFURBISHMENT, FOR CARTRIDGE, 60MM, PRACTICE, SHORT RANGE, M766 LOADING, ASSEMBLING AND PACKING [CUST: AR]	A 1315		AR	09-SEP-98
	M	MIL-W-14742A(5)	WARHEAD SECTION, GUIDED MISSILE, PRACTICE, M220, ASSEMBLING AND PACKING [CUST: AR]	A 1336		AR	10-AUG-98
	M	MIL-W-48689A(8)	WARHEAD SECTION, GUIDED MISSILE, H.E. M207E5 LOADING, ASSEMBLING AND PACKING [CUST: AR]	F 1336		AR	01-SEP-98
	M	MIL-P-48698(6)	PROBE AND S&A ASSEMBLY, TOW-2/E6 [CUST: AR]	A 1336		AR	01-SEP-98
	N	A-A-59341	TAPE, TWO SIDE PRESSURE SENSITIVE ADHESIVE, FLEXIBLE FOAM BASE (FOR USE WITH EXPLOSIVES) [CUST: AR]	A 1375	/	AR	29-SEP-98
	M	MS21254M	CONNECTOR, EYE END, TURNBUCKLE, CLIP LOCKING [CUST: AV AS 99 IS] [REVIEW: 11 82 CR4 MC]	A 1560		GS	15-AUG-97
	M	MIL-STD-2041B	CONTROL OF DETRIMENTAL MATERIALS [CUST: SH]	B 20GP		SH	02-NOV-93
	M	MIL-DTL-62034F	SEMITRAILERS, STAKE; SEMITRAILERS, VAN, AND SEMITRAILERS, REFRIGERATOR: MILITARY DESIGN [CUST: AT]	A 2330		AT	30-SEP-98
	M	MIL-K-70840(1)	KIT, INSTALLATION, FOR ARMOR TILES M3, M4, M5, M6, M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEM (BFVS) [CUST: AR]	A 2350		AR	14-AUG-98
	M	MIL-DTL-45334E	COMPRESSOR ASSEMBLIES, AIRBRAKE SYSTEM, WHEELED VEHICLE [CUST: AT YD2 99] [REVIEW: CC MC MI]	A 2530		AT	30-SEP-98
	M	MIL-PRF-62494D	SHOCK ABSORBER, DIRECT ACTING [CUST: AT]	A 2540		AT	30-SEP-98
	M	MIL-DTL-62366C	RING ASSEMBLIES, ELECTRICAL CONTACT [CUST: AT]	A 2590		AT	30-SEP-98
	M	MIL-DTL-13718F	RELAYS, ELECTROMAGNETIC 24 VOLT DC [CUST: AT MC 99] [REVIEW: CC CR MI]	A 2920		AT	30-SEP-98
	M	MIL-DTL-62576B	REGULATOR, ENGINE GENERATOR [CUST: AT YD2] [REVIEW: CC MI]	A 2920		AT	30-SEP-98
	N	A-A-59348	TABLE, WELDING [CUST: AL]	A 3436	/	GS	23-OCT-98
	N	SAE-AS29523	HOOK, FILLER CAP CHAIN [CUST: AS GS]	A 4030		AS	AUG-98
	M	MIL-PRF-52666F	FILTER/ SEPARATORS, LIQUID FUEL [CUST: AT AS 99] [REVIEW: 84 AV CC MC SH]	A 4330		AT	23-SEP-98
	M	NAS1925-98	CLAMP, HOSE [CUST: AV AS 99]	A 4720		82	9 NOV 98
	M	MIL-DTL-62265C	FILTER ELEMENT AND RELIEF VALVE, FLUID PRESSURE, HYDRAULIC (M-60 TANK SERIES) [CUST: AT]	A 4820		AT	30-SEP-98
	M	MIL-PRF-81836B SUP 1	FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE, GENERAL SPECIFICATION FOR [CUST: AS CC] [REVIEW: MC SA SH]	A 4920		AS	01-OCT-98
	M	QPL-81969-15(1)	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR	A 5120		AS	21-JUL-98
	M	MS21141J(1)	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, CORROSION RESISTING STEEL, 95 KSI FSU [CUST: AV AS 99 IS] [REVIEW: 82 MI]	A 5320		IS	10-AUG-98
	M	NAS1686-98	RIVET, BLIND, ALUMINUM SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED [CUST: AR 99 IS] [REVIEW: AV MI]	A 5320		IS	9 NOV 98
	M	NAS9301-98	RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 1, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI]	A 5320		IS	9 NOV 98
	M	NAS9302-98	RIVET-BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI]	A 5320		IS	9 NOV 98
	M	NAS9303-98	RIVET, BLIND, 100 DEG. FLUSH SHEAR HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI]	A 5320		IS	9 NOV 98
	M	NAS9304-98	RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI]	A 5320		IS	9 NOV 98
	M	NAS9305-98	RIVET, BLIND, 100 DEG. FLUSH HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE B AND E [CUST: AV AS 99 IS] [REVIEW: MI]	A 5320		IS	9 NOV 98
	M	NAS9306-98	RIVET-BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI]	A 5320		IS	9 NOV 98
	M	MS51939A NOT 3	LOOP, STRAP FASTENER (FOOTMAN'S LOOP) [CUST: AR IS]	A 5340		IS	20-OCT-98
	M	NAS1347-98	FASTENERS, IDENTIFICATION OF MALE THREADED [CUST: AV AS 11 IS]	A 53GP		IS	9 NOV 98
	M	MIL-DTL-62481A	INTERCOMMUNICATION CONTROL UNIT [CUST: AT]	A 5820		AT	30-SEP-98
	M	MIL-PRF-55342G(1) SUP 1	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS]	A 5905		CR	17-SEP-98
	M	MIL-PRF-15160G(1) SUP 1A	FUSES, INSTRUMENT, POWER, AND TELEPHONE, GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YD2]	A 5920		CC	13-NOV-98
	M	MIL-PRF-19207D(1) SUP 1A	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] [REVIEW: 17 19 70 71 80 82 84 99 AR AS AT CR4 EC MC MI OS]	A 5920		CC	13-NOV-98
	M	MIL-PRF-23419F SUP 1	FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 AR CR4 MI NS OS SH]	A 5920		CC	05-NOV-98
	M	W-F-1814A(2) SUP 1A	FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY [CUST: CR 85 CC] [REVIEW: 99 AL AR CR4 NS]	A 5920	/	CC	19-OCT-98
	M	W-F-1814/5A	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES [CUST: CR YD2 85 CC] [REVIEW: 80 AT CR4 NS OS]	A 5920	/	CC	19-OCT-98
	M	W-F-1814/6A	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES [CUST: CR YD2 85 CC] [REVIEW: 80 AT CR4 NS OS]	A 5920	/	CC	19-OCT-98
	M	W-F-1814/10A	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES [CUST: CR YD2 85 CC] [REVIEW: 80 AT CR4 NS OS]	A 5920	/	CC	19-OCT-98
	M	MIL-T-27/140B(1) NOT 2	TRANSFORMERS, POWER, STEP-DOWN, TF4S03YY [CUST: CR EC 85 CC] [REVIEW: 17 19 80 99 AR AS CR4 MC MI OS SH]	A 5950		CC	24-NOV-98
	M	MIL-T-27/141A(1) NOT 2	TRANSFORMERS, POWER, STEP-DOWN, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 80 99 AR AS CR4 MC MI OS SH]	A 5950		CC	24-NOV-98
	M	MIL-PRF-19500/573A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP SILICON, SWITCHING TYPES 2N4209, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM]	A 5961		CC	02-NOV-98
	M	MIL-PRF-19500/575B	SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH VOLTAGE POWER RECTIFIER, FAST RECOVERY, TYPES 1N6512 THROUGH 1N6519, 1N6512US THROUGH 1N6519US JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS AV CG MC SM]	A 5961		CC	02-NOV-98
	M	MIL-PRF-19500/576B	SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH VOLTAGE POWER RECTIFIER, FAST RECOVERY, TYPES 1N6520 THROUGH 1N6527, 1N6520US THROUGH 1N6527US JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC OS SM]	A 5961		CC	02-NOV-98
	M	MIL-PRF-19500/580A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES 2N4234, 2N4335 AND 2N4236 JAN, JANTX AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 11 13 19 85 AR AS CG MC MI OS SM]	A 5961		CC	02-NOV-98
	M	MIL-PRF-19500/587A	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, AND 1N6663US JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS AV CG MC MI SH SM]	A 5961		CC	20-OCT-98
	M	QPL-23190-40(1)	STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT	A 5975		AS	23-OCT-98
	M	MIL-PRF-19500/572B	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES 1N6493, 1N6494, 1N6495, 1N6500, 1N6501, AND 1N6502 JAN AND JANTX [CUST: 17 CC] [REVIEW: 85 99]	A 5980		CC	30-OCT-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-PRF-19500/574B	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES 1N6497, 1N6498, 1N6499, 1N6503, 1N6504, AND 1N6505 JAN AND JANTX [CUST: 17 CC] [REVIEW: 85 99]	A 5980		CC	30-OCT-98
N	MIL-HDBK-1861	SELECTION AND USE OF ELECTRICAL AND ELECTRONIC ASSEMBLIES, BOARDS, CARDS, AND ASSOCIATED HARDWARE [CUST: CR EC 85] [REVIEW: 17 99 CR4]	A 5998		CC	30-OCT-98
M	MIL-PRP-83401G(1) SUP 1	RESISTOR NETWORKS, FIXED, FILM, AND CAPACITOR-RESISTOR NETWORKS, CERAMIC CAPACITOR AND FIXED FILM RESISTORS, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS]	A 59GP		CC	13-NOV-98
M	QPL-24541-7	BATTERY CELLS AND ELEMENTS, LEAD- ACID, MAIN STORAGE, SUBMARINE, GENERAL SPECIFICATION FOR (METRIC)	A 6140		SH	23-JUL-98
M	MIL-PRF-26611E(1)	GENERATOR, TACHOMETER GEU-7/A, MINIATURE [CUST: AV AS 99]	X 6620		71	28-OCT-98
N	A-A-59338	WATER QUALITY ANALYSIS SET: PURIFICATION (WQAS-P) [CUST: AT MS 99 FSS] [REVIEW: EA MB QM]	A 6630	/	AT	11-SEP-98
M	A-A-50226A	SHAKING MACHINE, TESTING SIEVE, LABORATORY, PORTABLE, HAND-OPERATED, CAPACITY 6 FULL-HEIGHT OR 13 HALF-HEIGHT, 8-INCH STANDARD SIEVES [CUST: CE3 GS]	A 6635	/	CE3	31-OCT-98
M	A-A-1453C	STOPWATCH, DIGITAL, ELECTRIC	A 6645	#	FSS	20-JUL-98
M	A-A-2598C	CLOCK, ALARM (GENERAL PURPOSE)	A 6645	#	FSS	20-JUL-98
M	A-A-52006A	PLOTTER, DIGITAL [CUST: CE3 YD2 99 GS]	A 6675	/	CE3	31-OCT-98
M	A-A-59282	CHEMICALS, ANALYTICAL; GENERAL SPECIFICATION FOR [CUST: AR YD2 68 GS] [REVIEW: MD1 MI MS OS SM]	A 6810	/	GS	22-OCT-98
M	A-A-59302	MAGNESIUM OXIDE, TECHNICAL [CUST: EA OS] [REVIEW: AS MD1 MI]	A 6810	/	GS	16-OCT-98
N	A-A-59303	TALC, TECHNICAL [CUST: EA 68] [REVIEW: MD1]	A 6810	/	GS	16-OCT-98
N	A-A-59342	ETHYL ALCOHOL (FOR ORDNANCE USE) [CUST: AR OS] [REVIEW: AV EA GS]	A 6810	/	AR	30-SEP-98
M	MIL-PRF-11090G	CLEANING COMPOUND, DEGREASING AND DEPRESERVING SOLVENT [CUST: MR YD2] [REVIEW: AR CR4 GL1 MC MD1 OS]	A 6850		GS	03-SEP-98
M	A-A-1607B	MEASURE, LIQUID [CUST: GL YD2 99 FSS] [REVIEW: 84]	A 7240	*	FSS	28-JUL-98
M	A-A-50225A	CALCULATING MACHINE, HAND-HELD (PROGRAMMABLE) [CUST: CE3 YD2] [REVIEW: MC]	A 7420	/	CE3	31-OCT-98
M	A-A-370B	RIBBON, PRINTING COTTON AND NYLON RIBBINS FOR TELETYPEWRITER, TYPEWRITERS, RECORDING MACHINES AND COMPUTING MACHINES	A 7510	#	FSS	08-JUL-98
M	A-A-2367A	RIBBON, COMPUTING MACHINE (WORD PROCESSING) [CUST: GL SA 99 FSS]	A 7510	*	FSS	08-JUL-98
N	A-A-59357	FASTENERS, BELT; CLIPS, ENDS WITH HOOK: AND KEEPERS, SLIDE [CUST: GL NU 99 CT] [REVIEW: 82 MC MD]	A 8315	/	CT	03-NOV-98
M	MIL-DTL-3476J SUP 1	BRASSARD, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC]	A 8455		IH	21-OCT-98
M	MIL-DTL-11484/88D	LAPEL BUTTON, APOLLO ACHIEVEMENT, NASA [CUST: IH] [REVIEW: CT NA]	A 8455		IH	26-OCT-98
M	MIL-DTL-11484/90D	LAPEL BUTTON, LENGTH OF SERVICE (15, 20, 25, AND 30 YEARS), NATIONAL TRANSPORTATION SAFETY BOARD, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT]	A 8455		IH	26-OCT-98
M	MIL-DTL-11484/109D	LAPEL BUTTON, LENGTH OF SERVICE (3, 15, 25, 30, 35, 40 AND 50 YEARS), DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT]	A 8455		IH	26-OCT-98
M	MIL-DTL-11484/117D	LAPEL BUTTON, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC]	A 8455		IH	26-OCT-98
M	MIL-DTL-11484/200B	LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT]	A 8455		IH	26-OCT-98
N	A-A-59356	NET MULTI-PURPOSE [CUST: GL NU 99 CT] [REVIEW: 82 MC MD]	A 8465	/	CT	28-OCT-98
M	VV-C-846B	CUTTING FLUIDS: EMULSIFIABLE OILS [CUST: AT AS 68] [REVIEW: MI SA SH]	A 9150	/	GS	16-OCT-98
M	MIL-DTL-46177C	ARMOR, STEEL PLATE AND SHEET, WROUGHT, HOMOGENEOUS (1/8 TO LESS THAN 1/4 INCH THICK) [CUST: MR] [REVIEW: IS MI]	A 9515		MR	24-OCT-98
M	MIL-H-6875H(2)	HEAT TREATMENT OF STEEL, PROCESS FOR [CUST: MR AS 11] [REVIEW: 84 99 AR AT AV EA IS MI OS]	A 95GP		AS	27-OCT-98
M	MIL-STD-2045/48501(1)	COMMON SECURITY LABEL (CSL) [CUST: AC EC 90 DH DI] [REVIEW: 02 13 17 29 CG CH CR DC DO IR MA MC MP ND NS OST PT TD]	A DCPS		DC1	01-SEP-96

List	Action	Document Number	Document Title	Distribution FSC/Area	MCA Prep. Activ.	Date
M		MIL-G-21110 NOT 2	GUN BARREL, GENERAL SPECIFICATIONS FOR [CUST: OS]	A 1035	OS	30-SEP-98
M		MIL-M-19556 NOT 2	MOUNT, GUN, LAUNCHING SYSTEMS, ROCKET AND GUIDED MISSILE, PROJECTORS, GENERAL SPECIFICATION [CUST: OS]	A 1055	OS	30-SEP-98
M		MIL-D-82586B NOT 2	DIRECTOR, GUN AND GUIDED MISSILE, MK 73 MOD 2 AND ASSOCIATED EQUIPMENT [CUST: OS]	A 1210	OS	30-SEP-98
M		MIL-R-22040(2) NOT 2	RANGEFINDER MARK 75 MOD 1 [CUST: OS]	A 1240	OS	30-SEP-98
M		MIL-T-40136J NOT 1	TANK AND PUMP UNIT, FUEL DISPENSING, FOR TRUCK MOUNTING, AND SINGLE TANK UNIT, FUEL DISPENSING, 525-GALLON, TRAILER MOUNTED [CUST: AT YD2 99] [REVIEW: CC]	A 4930	AT	29-SEP-98
M		MIL-R-52255D NOT 1	REPAIR KIT AND REPAIR KIT COMPONENTS, FOR COLLAPSIBLE FABRIC TANKS, DRUMS, AND BOATS [CUST: AT YD2 99] [REVIEW: 82 CC GS MC]	A 5430	AT	25-SEP-98
M		MIL-T-52983G NOT 1	TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, FUEL[CUST: AT YD2 99] [REVIEW: 82 CC MC]	A 5430	AT	25-SEP-98
M		MIL-T-53029C NOT 1	TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, DRINKING WATER [CUST: AT YD2 99] [REVIEW: 82 CC MC]	A 5430	AT	25-SEP-98
M		MIL-T-53048C NOT 1	TANK, FABRIC, COLLAPSIBLE; AIR COLUMN SUPPORTED, OPEN TOP, WATER STORAGE 3000 GALLONS [CUST: AT YD2]	A 5430	AT	25-SEP-98
M		MIL-T-53055C NOT 1	TANK, 3000 GALLON AND 4600 GALLON FABRIC, COLLAPSIBLE, DRINKING WATER, SEMI-TRAILER MOUNTED [CUST: AT] [REVIEW: CC]	A 5430	AT	25-SEP-98
M		MIL-B-53081 NOT 1	BERM LINER ASSEMBLIES [CUST: AT]	A 5430	AT	25-SEP-98
M		MIL-STD-2179B NOT 1	HELICAL DIGITAL RECORDING FORMAT FOR 19-MM MAGNETIC TAPE CASSETTE RECORDER/REPRODUCERS [CUST: CR AS 99] [REVIEW: EC MC NS SH]	A 5895	AS	30-OCT-98
M		MIL-T-83454/2D(1) NOT 2	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .138-32 UNJC-3A CURRENT RATING: 25 AMPS [CUST: 85]	A 5940	GS	27-OCT-98
M		MIL-T-83454/3D(1) NOT 2	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .164-32 UNJC-3A CURRENT RATING: 30 AMPS [CUST: 85]	A 5940	GS	27-OCT-98
M		MIL-T-83454/4D(1) NOT 2	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .190-32 UNJF-3A CURRENT RATING: 35 AMPS [CUST: 85]	A 5940	GS	27-OCT-98
M		MIL-T-83454/5D(2) NOT 2	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .250-28 UNJF-3A CURRENT RATING: 43 AMPS [CUST: 85]	A 5940	GS	27-OCT-98
M		MIL-H-13253D SUP 1 NOT 1	HANDSET [CUST: CR EC CC] [REVIEW: 80 CG MC SH SM]	A 5965	CC	02-NOV-98
M		MIL-H-13253/1 NOT 1	HANDSET, TYPE TS-9 ( ) [CUST: CR SH CC] [REVIEW: 80 CG MC MI SM]	A 5965	CC	02-NOV-98
M		MIL-H-13253/5 NOT 1	HANDSET, TYPE H-90/U [CUST: CR SH 17 CC] [REVIEW: 80 CG MC MI SM]	A 5965	CC	02-NOV-98
M		MIL-H-13253/9A NOT 2	HANDSET, TYPE H-142/U [CUST: CR EC 17 CC] [REVIEW: 85 AR MI]	A 5965	CC	02-NOV-98
M		MS3339B NOT 1	PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS [CUST: MI AS GS] [REVIEW: EC]	A 5975	GS	17-NOV-98
M		MIL-B-49030/5 NOT 3	BATTERY, DRY, BA-3051/U [CUST: CR]	A 6135	GS	02-NOV-98
M		MIL-P-21381B(1) NOT 1	PLOTTING BOARDS, SHIP' S STATUS AND TACTICAL DISPLAY (NAVAL SHIPBOARD USE) [CUST: SH]	A 6605	GS	17-NOV-98
M		MIL-S-27626D(1) NOT 1	SAMPLER, CRYOGENIC LIQUID [CUST: 99] [REVIEW: 11 19 68]	A 6695	82	02-NOV-98
M		MIL-A-83406B(4) NOT 1	ANTI-G GARMENT, CUTAWAY, CSU-13B/P [CUST: 99] [REVIEW: 11]	A 8475	82	16-NOV-98

List Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-T-60394A(3) NOT 1	TAPE, PRESSURE-SENSITIVE ADHESIVE FILM FOAM, DOUBLE-COATED (FOR USE WITH AMMUNITION) (S/S BY A-A-59341) [CUST: AR]	A 1375		AR	29-SEP-98
M	QPL-ZZ-B-190-3 NOT 1	BELT, V, ENGINE ACCESSORY DRIVE (NO S/S DOCUMENT)	A 3030	/	AT	30-SEP-98
M	QPL-ZZ-B-225-7 NOT 1	BELTS, V: ENGINE ACCESSORY DRIVE; MINUS 40 DEG. F. (NO S/S DOCUMENT)	A 3030	/	AT	30-SEP-98
M	MIL-B-80012C NOT 1	BORING AND TURNING MACHINES, VERTICAL, AND LATHES, VERTICAL, TURRET, MANUAL (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 SM]	A 3411		GS	03-NOV-98
M	MIL-B-80210B NOT 1	BORING MACHINES, VERTICAL, SINGLE COLUMN, COMPUTER NUMERICALLY CONTROLLED (CNC) (NO S/S DOCUMENT) [CUST: AL 99] [REVIEW: 84 AR]	A 3411		GS	03-NOV-98
M	MIL-B-80248A NOT 1	BORING AND TURNING MACHINES, VERTICAL, NUMERICAL CONTROL BY MANUAL DATA INPUT, 36 THROUGH 96 INCH TABLES (NO S/S DOCUMENT) [CUST: AL SH 99] [REVIEW: 84 AR AS]	A 3411		GS	03-NOV-98
M	MIL-B-80272 NOT 1	BORING MACHINES, JIG VERTICAL, DOUBLE COLUMN, BRIDGE TYPE, FIXED OR TRAVELING CROSS-RAIL, NUMERICALLY CONTROLLED (NC) (NO S/ DOCUMENT) [CUST: AR 99] [REVIEW: 84 AL]	A 3411		GS	03-NOV-98
M	MIL-G-23681C NOT 2	GRINDING MACHINES, JIG, VERTICAL (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AV MC OS]	A 3415		GS	02-NOV-98
M	MIL-G-23823E NOT 1	GRINDING MACHINES, CYLINDRICAL, EXTERNAL, CENTER TYPE UNIVERSAL, TRAVELING TABLE (S/S BY A-A-59266) [CUST: AL SH 99 GS] [REVIEW: 84 AS MC]	A 3415		GS	02-NOV-98
M	MIL-G-80048C NOT 2	GRINDING MACHINE, CENTERLESS, EXTERNAL, CYLINDRICAL (NO S/S DOCUMENT, FUTURE ACQUISITION REFER TO A-A-59173) [CUST: AL SH 99] [REVIEW: 84]	A 3415		GS	02-NOV-98
M	MIL-G-80073C NOT 1	GRINDING MACHINES, INTERNAL, CHUCKING, UNIVERSAL (NO S/S DOCUMENT) [CUST: SH 99 GS] [REVIEW: 84 MC]	A 3415		GS	10-NOV-98
M	MIL-G-80267 NOT 2	GRINDING MACHINES, JIG, VERTICAL, CNC (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AV MC]	A 3415		GS	10-NOV-98
M	MIL-S-23378D NOT 1	SCREW MACHINE, AUTOMATIC, SINGLE SPINDLE 1/2 INCH TROUGH 2-3/8 INCH SPINDLE CAPACITY (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: 84 AS MC]	A 3416		GS	12-NOV-98
M	MIL-M-80215 NOT 1	MILLING MACHINE, BED TYPE, HORIZONTAL SPINDLE, AUTOMATIC CYCLE, 24, 26 AND 30 INCH MINIMUM TABLE WIDTH, PLAIN AND DUPLEX MACHINES (NO S/S DOCUMENT) [CUST: AL SH 99] [REVIEW: 84 MC]	A 3417		GS	10-NOV-98
M	MIL-W-80110C NOT 1	STUD WELDING UNITS, INDEPENDENT DC POWER SOURCE WITH SEPARATE CONTROL UNIT, ELECTRIC ARC (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AS MC]	A 3431		GS	05-NOV-98
M	MIL-W-80117B NOT 2	WELDING SETS, SUBMERGED ARC (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AR AS CG MC]	A 3431		GS	10-NOV-98
M	MIL-W-80164A NOT 2	WELDING HEAD, ARC, AUTOMATIC, CONSUMABLE WIRE ELECTRODE (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: 84 AS MC OS]	A 3431		GS	10-NOV-98
M	MIL-W-80165B(1) NOT 1	WELDING MACHINE, ARC,DC, GENERATOR, CONSTANT CURRENT, CONSTANT VOLTAGE, INTERNAL COMBUSTION ENGINE DRIVEN (NO S/ DOCUMENT) [CUST: AL SH 99] [REVIEW: 84 MC]	A 3431		GS	10-NOV-98
M	MIL-W-80191B NOT 1	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT VOLTAGE, CONSTANT CURRENT (NO S/S DOUMENT) [CUST: AL SH 99] [REVIEW: 84 AS CG MC]	A 3431		GS	10-NOV-98
M	MIL-C-80090D NOT 1	CUTTING SYSTEMS, METAL, PLASMA ARC (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AR AV MC]	A 3433		GS	10-NOV-98
M	MIL-P-80109D NOT 1	PLASMA SPRAY SYSTEM,MANUALLY OPERATED (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: 71 84 AS]	A 3433		GS	12-NOV-98
M	MIL-C-80111C NOT 1	CUTTING MACHINE, SHAPE, OXYGENAND FUEL GAS, ELECTRIC-MOTOR DRIVEN, TRACER GUIDED, PORTABLE (NO S/S DOCUMENT) [CUST: AR SH 99] [REVIEW: 84 YD2]	A 3433		GS	10-NOV-98
M	MIL-C-80265(1) NOT 1	CUTTING MACHINES, OXYGEN FLAME AND PLASMA ARC, AUTOMATIC, STATIONARY, NUMERICALLY CONTROLLED (NO S/S DOCUMENT) [CUST: SH 99 GS] [REVIEW: 84 MC]	A 3433		GS	10-NOV-98
M	MIL-T-45809F NOT 1	TABLE, WELDING (S/S BY A-A-59348) [CUST: AL GS]	A 3436		GS	23-OCT-98
M	MIL-P-80072C NOT 1	PUNCHING MACHINE, METAL, POWER DRIVEN, SINGLE END TYPE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84]	A 3445		GS	16-OCT-98
M	MS29523A NOT 1	HOOK, FILLER CAP CHAIN (ASG) (S/S BY SAE-AS29523) [CUST: AS] [REVIEW: 99 CR4 IS MI]	A 4030		AS	12-SEP-98
M	MS27030D NOT 2	GASKET-COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE (S/S BY A-A-59326)[CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730		AT	25-SEP-98
M	MS27031D NOT 2	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, DRILLING TEMPLATE (S/S BY A-A-59326) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730		AT	25-SEP-98
M	MIL-I-8846D(1) SUP 1 NOT 1	INSERTS, SCREW-THREAD, HELICAL COIL (S/S BY NASM8846) [CUST: AV AS 99 IS] [REVIEW: AR AT CR CR4 EA GL MI SH]	A 5325		IS	30-JUN-98
M	MIL-D-55367 NOT 3	DISCRIMINATOR, DISCRETE SIGNAL MD-736( )/A (NO S/S DOCUMENT) [CUST: CR]	A 5821		CR	30-SEP-98
M	MIL-R-55662 NOT 2	RADIO SET AN/ARC-114( ) (NO S/S DOCUMENT) [CUST: CR]	A 5821		CR	30-SEP-98
M	MIL-C-55688(1) NOT 3	CONTROL INDICATOR C-8157( )/ARC (NO S/S DOCUMENT) [CUST: CR]	A 5821		CR	30-SEP-98
M	MIL-D-9129/2A NOT 1	DISCHARGER, ELECTROSTATIC, TRAILING EDGE, NON-INTEGRAL BASE, LESS THAN 300 KNOTS (NO S/S DOCUMENT) [CUST: CC] [REVIEW: 11 17 19]	A 5920		CC	23-OCT-98
M	MIL-D-9129/3A NOT 1	DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGAL BASE, LESS THAN 600 KNOTS (NO S/S DOCUMENT) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 CE MC MI]	A 5920		CC	23-OCT-98
M	MIL-D-9129/4A NOT 1	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE 11 CLASS 1, STYLE A (NO S/S DOCUMENT) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 CE MC MI]	A 5920		CC	23-OCT-98
M	MIL-D-9129/5A NOT 1	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE 11, CLASS 1, STYLE B (NO S/S DOCUMENT) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 CE MC MI]	A 5920		CC	23-OCT-98
M	MIL-D-9129/6A NOT 1	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE IT, CLASS 2, STYLE A (NO S/S DOCUMENT) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 CE MC MI]	A 5920		CC	23-OCT-98
M	MIL-D-9129/7A NOT 1	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE IT, CLASS 2, STYLE B (NO S/S DOCUMENT) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 CE MC MI]	A 5920		CC	23-OCT-98
M	MIL-D-9129/8 NOT 1	DISCHARGER, ELECTROSTATIC, WING TIP, NON-INTEGRAL BASE, GREATER THAN 600 KNOTS (NO S/S DOCUMENT) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 CE MC MI]	A 5920		CC	23-OCT-98
M	MIL-F-21346B(2) NOT 1	FUSEHOLDERS, BLOCK, AND SHROUD TYPE, AND ASSOCIATED FUSE CLIPS; GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG EA EC MC MI]	A 5920		CC	23-OCT-98
M	MIL-M-24225A NOT 1	MONITOR, FREQUENCY, 60 CYCLES, A.C., 1 PHASE ELECTRIC POWER (NAVAL SHIPBOARD USE) (NO S/S DOCUMENT) [CUST: SH CC]	A 5925		CC	23-OCT-98
M	MIL-M-24350B(2) NOT 1	MONITORS, REVERSE POWER AND POWER-SENSING, ELECTRICAL POWER (NAVAL SHIPBOARD USE) (METRIC) (NO S/S DOCUMENT) [CUST: SH CC]	A 5925		CC	23-OCT-98
M	MIL-PRF-22885/84B(1) NOT 1	SWITCH, PUSHBUTTON, ILLUMINATED, MOMENTARY AND ALTERNATE ACTION, 4 LAMP, 7 AMPERES (2.43 LONG X .875 SQUARE) (NO S/S DOCUMENT) [CUST: 85 CC] [REVIEW: 99]	A 5930		CC	05-NOV-98
M	MS35430B NOT 1	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE (NO S/S DOCUMENT) [CUST: AR SH 99 GS] [REVIEW: MI]	A 5940		GS	17-NOV-98
M	MS35435C NOT 1	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, LOCATING LIP (NO S/S DOCUMENT) [CUST: AR SH 85 GS] [REVIEW: 99]	A 5940		GS	17-NOV-98
M	MS35437A NOT 1	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE-HOLE, LOCATING (NO S/S DOCUMENT) [CUST: AR SH 85 GS] [REVIEW: 99]	A 5940		GS	17-NOV-98
M	MS35438B NOT 1	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING INSULATION GRIP, ONE HOLE, FLAG (NO S/S DOCUMENT) [CUST: AR SH 85 GS] [REVIEW: 11 99 AS AV MC MI]	A 5940		GS	17-NOV-98
M	MS35442A NOT 1	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED, 45 DEG. (NO S/S DOCUMENT) [CUST: AR SH 85 GS] [REVIEW: 99 MI]	A 5940		GS	17-NOV-98
M	MIL-T-47325 NOT 1	TAPE, PRESSURE-SENSITIVE ADHESIVE, ELECTRICAL INSULATION (NO S/S DOCUMENT) [CUST: MI]	A 5970		GS	12-NOV-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Activ.	Date
M	MIL-H-55053B SUP 1A NOT 1	HARDWARE, POLE LINE (NO S/S DOCUMENT) [CUST: CR YD2 85 GS] [REVIEW: 99 MC]	A 5975		GS	16-OCT-98
M	MIL-C-55172B NOT 1	CABINET, ELECTRICAL EQUIPMENT,CY-3397( )/G (NO S/S DOCUMENT) [CUST: CR]	A 5975		GS	02-NOV-98
M	MS25066A NOT 2	NUT, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING (NO S/S DOCUMENT) [CUST: CR AS 85 GS] [REVIEW: 99 MC]	A 5975		GS	17-NOV-98
M	MIL-B-49461B(1) NOT 2	BATTERIES, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE (S/S BY MIL-PRF-49471) [CUST: CR]	A 6135		CR	30-SEP-98
M	MIL-B-49461/1C NOT 2	BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6516/U (NO S/S DOCUMENT) [CUST: CR]	A 6135		CR	30-SEP-98
M	MIL-B-49461/2B NOT 2	BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6598/U (NO S/S DOCUMENT) [CUST: CR]	A 6135		CR	30-SEP-98
M	MIL-B-49461/3(1) NOT 2	BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6704/U (NO S/S DOCUMENT) [CUST: CR]	A 6135		CR	30-SEP-98
M	MIL-B-49461/4 NOT 2	BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6590/U (NO S/S DOCUMENT) [CUST: CR]	A 6135		CR	30-SEP-98
M	MIL-B-49461/5 NOT 2	BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6557/U (S/S BY MIL-PRF-49471/6) [CUST: CR]	A 6135		CR	30-SEP-98
M	MIL-B-49461/6B NOT 2	BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6847/U, WITH DUAL CONNECTOR (S/S BY MIL-PRF-49471/5) [CUST: CR]	A 6135		CR	30-SEP-98
M	DD-M-00200B NOT 1	MEDICINE GLASS (S/S BY A-A-51072) [CUST: MD MS 03]	A 6520	/	MB	01-OCT-88
M	MIL-T-55369 NOT 3	TEST SET, RADIO TS-1588( )/AIC (NO S/S DOCUMENT) [CUST: CR]	A 6625		CR	02-OCT-98
M	MIL-D-3898B SUP 1 NOT 1	DRAFTING MACHINE AND SCALES GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR4 SH 99] [REVIEW: 82 AT MC]	A 6675		GS	05-NOV-98
M	MIL-D-3898/1 NOT 2	DRAFTING MACHINE AND SCALES, CHUCK PLATE FOR (NO S/S DOCUMENT) [CUST: CR4 SH 99] [REVIEW: 82 AT MC]	A 6675		GS	05-NOV-98
M	MIL-D-3898/2 NOT 2	DRAFTING MACHINE AND SCALES, INSERT FOR (NO S/S DOCUMENT) [CUST: CR4 SH 99] [REVIEW: 82 AT MC]	A 6675		GS	05-NOV-98
M	MIL-D-3898/3 NOT 2	DRAFTING MACHINE AND SCALES, SCALE ASSEMBLY (NO S/S DOCUMENT) [CUST: CR4 SH 99] [REVIEW: 82 AT MC]	A 6675		GS	05-NOV-98
M	MIL-D-3898/4 NOT 2	DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 200 AND 1,000 YARDS PER INCH (NO S/S DOCUMENT) [CUST: CR4 SH 99] [REVIEW: 82 AT MC]	A 6675		GS	05-NOV-98
M	MIL-D-3898/5 NOT 2	DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 500 AND 2,000 YARDS PER INCH (NO S/S DOCUMENT) [CUST: CR4 SH 99] [REVIEW: 82 AT MC]	A 6675		GS	05-NOV-98
M	MIL-D-3898/6 NOT 2	DRAFTING MACHINE AND SCALES, RANGE-TIME-SPEED PLOTTING SCALE 25,000:1 AND 50,000:1 YARDS RATIO (NO S/S DOCUMENT) [CUST: CR4 SH 99] [REVIEW: 82 AT MC]	A 6675		GS	05-NOV-98
M	MIL-L-4352D(1) NOT 2	LENSES, GUN CAMERA, MOTION-PICTURE, 16MM FORMAT (NO S/S DOCUMENT) [CUST: CR AS 99] [REVIEW: AV]	A 6760		GS	10-NOV-98
M	MIL-V-52830B NOT 1	VIEWING STAND, ILLUMINATED, NEGATIVE FILM (NO S/S DOCUMENT) [CUST: CE]	A 6760		GS	12-NOV-98
M	MIL-E-463B NOT 2	ETHYL ALCOHOL (FOR ORDNANCE USE) (S/S BY A-A-59342) [CUST: AR OS] [REVIEW: EA GS MI]	A 6810		AR	30-SEP-98
M	MIL-E-463B(13) NOT 2	ETHYL ALCOHOL (FOR ORDNANCE USE) (S/S BY A-A-59342) [CUST: AR]	A 6810		AR	30-SEP-98
M	MIL-T-50036B(1) NOT 1	TALC, TECHNICAL, T1 AND T3 (S/S BY A-A-59303) [CUST: EA 68] [REVIEW: MD1]	A 6810		GS	16-OCT-98
M	MIL-M-51103B NOT 2	MAGNESIUM OXIDE, TECHNICAL (S/S BY A-A-59302) [CUST: EA OS] [REVIEW: AS MD MI]	A 6810		GS	16-OCT-98
M	O-C-265C NOT 1	CHEMICALS, ANALYTICAL; GENERAL SPECIFICATION FOR (S/S BY A-A-59282) [CUST: AR YD2 68 GS] [REVIEW: MD1 MI MS OS SM]	A 6810	/	GS	22-OCT-98
M	MIL-C-10597E(1) NOT 1	CLEANING COMPOUND WITH CONDITIONER AND INHIBITOR FOR ENGINE COOLING SYSTEMS (NO S/S DOCUMENT) [CUST: AT YD2 68] [REVIEW: GS SM]	A 6850		AT	11-SEP-98
M	MIL-C-38334A(2) NOT 2	CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES (S/S BY SAE-AMS1640) [CUST: AS 11 GS] [REVIEW: 68 99]	A 6850		GS	02-NOV-98
M	AA-C-00556E NOT 1	COSTUMER, WOOD, GENERAL OFFICE (S/S BY A-A-3136)	A 7195	#	FSS	26-MAR-98
M	A-A-52102 NOT 1	DETERGENT, LAUNDRY (NON-PHOSPHATE, LOW TEMPERATURE) (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: 84 MD]	A 7930	/	GL	18-FEB-97
M	MIL-A-35045D NOT 1	APPLESAUCE, INSTANT (NO S/S DOCUMENT) [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A 8915		SS	04-NOV-98
M	MIL-G-3056F(2) NOT 1	GASOLINE, AUTOMOTIVE, COMBAT (S/S BY ASTM-D4814) [CUST: AT SH 68] [REVIEW: 11 EA PS SA]	A 9130		AT	11-SEP-98
M	MIL-G-3056F(13) NOT 1	GASOLINE, AUTOMOTIVE, COMBAT (S/S BY ASTM-D4814) [CUST: AT] [REVIEW: AT EA]	A 9130		AT	11-SEP-98
M	MIL-F-22735C NOT 1	FILM, ELASTOMERIC, FLUORESCENT, FOR WEAPONS SYSTEM (ASG) (NO S/S DOUMENT) [CUST: MR AS 11] [REVIEW: 69]	A 9330		GS	10-NOV-98
M	MIL-P-46067B NOT 1	PLASTIC EMBEDDING COMPOUND, EPOXY RESIN SYSTEM (NO S/S DOCUMENT) [CUST: MR GS] [REVIEW: AT CR4 MD MI]	A 9330		GS	20-OCT-98
M	MS28105C NOT 2	COVER GLASS, AIRCRAFT INSTRUMENT DIAL (NO S/S DOCUMENT) [CUST: GL 11 GS] [REVIEW: 84 AV]	A 9340		GS	17-NOV-98
M	MIL-D-20550B(1) NOT 1	DIATOMACEOUS EARTH (S/S BY A-A-59239) [CUST: AL 99] [REVIEW: 84]	A 9390		GS	10-NOV-98